Sri Lanka

370,000

350,000

350,000

340,000

330,000

330,000

320,000

310,000

310,000

310,000

300,000

300,000

290,000

Modern Contraceptive Use and Need

FP2030 Indicator Summary Sheet: 2024 Measurement Report

| IV | ouern coi | ппасерич | e Use and | ineed | | | | | | 300 | irce : Fumily Pic | anning Estimatio | OII 1001 (FPE1) |
|--------|-----------------|------------------------|-----------------|----------------|-----------------|-----------------|---------------|----------------|------------|-----------|-------------------|------------------------------|-----------------|
| | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 |
| | | ļ | ods of contrace | | 2010 | 2017 | 2010 | 2013 | 2020 | 2021 | 2022 | 2025 | |
| | 1,940,000 | 1,950,000 | 1,960,000 | 1,960,000 | 1,970,000 | 1,980,000 | 1,980,000 | 1,980,000 | 1,990,000 | 1,990,000 | 1,990,000 | 1,980,000 | 1,980,000 |
| en | | | lence rate (mC | | 2,57 0,000 | 2,500,000 | 2,500,000 | 2,500,000 | 2,550,000 | 1,550,000 | 2,330,000 | 2,500,000 | 2,500,000 |
| om | 35.4% | 35.6% | 35.9% | 36.0% | 36.2% | 36.4% | 36.5% | 36.5% | 36.7% | 36.7% | 36.6% | 36.6% | 36.5% |
| 3 | | l . | ated to have ar | | | | | l | 30.770 | 30.770 | 30.070 | 30.070 | 30.370 |
| A | 13.8% | 13.5% | 13.2% | 13.1% | 12.8% | 12.7% | 12.6% | 12.6% | 12.4% | 12.3% | 12.3% | 12.1% | 12.0% |
| | | l . | ated to have th | | | | | l | | 12.5/6 | 12.5/6 | 12.170 | 12.076 |
| | 72.0% | 72.5% | 73.0% | 73.4% | 73.8% | 74.0% | 74.3% | 74.4% | 74.7% | 74.8% | 75.0% | 75.0% | 75.2% |
| | 72.070 | 72.370 | 75.070 | 73.470 | 73.070 | 74.070 | 74.570 | 74.470 | 74.770 | 74.070 | 73.070 | 75.070 | 75.270 |
| | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 |
| | Total users of | modern meth | ods of contrace | ption | | | 1 | l | 1 | | | | |
| en | 1,920,000 | 1,920,000 | 1,930,000 | 1,930,000 | 1,940,000 | 1,950,000 | 1,950,000 | 1,950,000 | 1,950,000 | 1,950,000 | 1,940,000 | 1,940,000 | 1,940,000 |
| mo, | Modern contr | aceptive preva | lence rate (mC | :P) | | | | | | | | | |
| 3 | 53.1% | 53.3% | 53.5% | 53.6% | 53.9% | 54.1% | 54.2% | 54.4% | 54.6% | 54.7% | 54.8% | 54.9% | 55.1% |
| rrie | Percentage of | women estim | ated to have ar | unmet need | for modern m | ethods of conti | aception (mUN | I) | ' | | ' | | ' |
| Ma | 20.5% | 20.0% | 19.6% | 19.2% | 18.9% | 18.7% | 18.6% | 18.5% | 18.2% | 18.2% | 18.1% | 18.0% | 17.9% |
| | Percentage of | women estim | ated to have th | eir demand fo | r family planni | ng met with a | modern metho | d of contracep | tion (mDS) | | | | |
| | 72.1% | 72.7% | 73.2% | 73.7% | 74.1% | 74.2% | 74.5% | 74.7% | 75.0% | 75.1% | 75.3% | 75.3% | 75.5% |
| | | I | I | I | | | | I | I | | | 1 | ı |
| | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 |
| 드 | | I | ods of contrace | i | | | I | I | I | | 1 | | I |
| omen | 22,000 | 23,000 | 23,000 | 24,000 | 25,000 | 26,000 | 26,000 | 27,000 | 28,000 | 29,000 | 30,000 | 31,000 | 33,000 |
| Š | | | lence rate (mC | 1 | | | I | I | I | | 1 | | I |
| ried | 1.2% | 1.2% | 1.3% | 1.3% | 1.4% | 1.4% | 1.5% | 1.5% | 1.5% | 1.6% | 1.6% | 1.7% | 1.7% |
| mar | 9 | I | ated to have ar | 1 | | | | 1 | 1 | | | 1 | l |
| n N | 0.7% | 0.7% | 0.8% | 0.8% | 0.8% | 0.8% | 0.8% | 0.9% | 0.9% | 0.9% | 0.9% | 1.0% | 1.0% |
| | = | I | ated to have th | | 1 | 1 | I . | | 1 | | l | 1 | I |
| | 63.0% | 63.3% | 63.7% | 63.6% | 63.7% | 63.8% | 63.9% | 64.1% | 63.9% | 64.2% | 64.6% | 64.8% | 65.3% |
| In | anacts of I | Modorn C | ontracepti | ivo Uco an | nong All M | lomon | | | | | | | |
| | ipacts of i | viouei ii C | ontracepti | ive Use all | nong An v | voillell | | | | | | | |
| | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 |
| Nu | mber of uninte | i ended pregnan | cies averted du | ıe to modern c | ontraceptive u | ıse | | | | | | | |
| | 740,000 | 740,000 | 740,000 | 740,000 | 750,000 | 750,000 | 750,000 | 750,000 | 750,000 | 750,000 | 750,000 | 750,000 | 750,000 |
| Nu | mber of unsafe | abortions ave | erted due to mo | odern contrace | eptive use | | | | | | | | |
| | 391,000 | 391,000 | 394,000 | 395,000 | 397,000 | 398,000 | 398,000 | 398,000 | 400,000 | 400,000 | 400,000 | 399,000 | 398,000 |
| Nu | | | rted due to mo | | | | | | | | 1 | | |
| | 190 | 190 | 190 | 190 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 | 200 |
| | | | | | 1 | 1 | | | | | | | |
| Co | uple Years of P | rotection (CYP | s) | ı | | | 1 | ı | 1 | C | alculated from I | routine service _l | provision data |
| | Source | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
| | | | | | | | | | | | | | |
| _ | | | | | | | | | | | | | |
| F | ertility Ou | tcomes | | | | | | | | | | | |
| | | | | | | | | | | 1/0 | ılue | | |
| ۸ ما | alaaaant hinth | wata /waw 1000 | | | | | | | | Va | nue | Sou | irce |
| Αū | olescent birth | rate (<i>per 1000</i> | women 15-19) | | | | | | | | 01 | 2016 Nat | ional DUC |
| Da | cant of hinth- | that are unint | ndad | | | | | | | | 21 | ZOTO MAL | ional DHS |
| rei | cent or births | that are uninte | inueu | | | | | | | | | | _ |
| | | | | | | | | | | | | | |
| | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 |
| Est | | | ed Pregnancies | | | | 1 | I | 1 | I | 1 | | 1 |
| | | I | 1 | I | | | | I | I | | | | I |

Source : Family Planning Estimation Tool (FPET)

Contraceptive Use, Availability, and Discontinuation by Method

| Modern Contraceptive Method Mix | | | | | | | | | | |
|---------------------------------|------------------------|-------|-------------------|--|--|--|--|--|--|--|
| Long-Acting | Sterilization (female) | 26.2% | Source | | | | | | | |
| and | Sterilization (male) | 0.0% | 2016 National DHS | | | | | | | |
| Permanent | IUD | 19.8% | | | | | | | | |
| Methods | Implant | 8.6% | | | | | | | | |
| | Injectable | 16.1% | | | | | | | | |
| | Pill | 16.1% | Population | | | | | | | |
| | Condom (Male) | 13.1% | Married Women | | | | | | | |
| Short-Term Methods | Condom (Female) | 0.0% | | | | | | | | |
| Wicthous | LAM | 0.0% | | | | | | | | |
| | Standard Days method | 0.0% | | | | | | | | |
| | Other Modern Methods | 0.2% | | | | | | | | |

| Percentage of facilities stocked out, by method offered, on the day of assessment | | | | | | | | | |
|---|-------------------------|--|--------|--|--|--|--|--|--|
| Long-Acting | Sterilization (female) | | Source | | | | | | |
| and | Sterilization (male) | | | | | | | | |
| Permanent | IUD | | | | | | | | |
| Methods | Implant | | | | | | | | |
| | Injectable | | | | | | | | |
| | Pill | | Year | | | | | | |
| Short-Term | Condom (Male) | | | | | | | | |
| Methods | Condom (Female) | | | | | | | | |
| | Emergency Contraception | | | | | | | | |
| | Other modern methods | | | | | | | | |
| | | | | | | | | | |

| | Value | Source | Year |
|---|-------|--------|------|
| Percentage of primary SDPs that have at least 3 modern methods of contraception available on day of | | | |
| | | | |
| Percentage of secondary/tertiary SDPs with at least 5 modern methods of contraception available on | | | |
| | | | |

| Contraceptive Discontinuation Rates and Method Switching (first 12 months)** | | | | | | | | | | |
|--|-----|---------|------------|------|------------------|--------|--|--|--|--|
| | IUD | Implant | Injectable | Pill | Condom (male) | Source | | | | |
| Discontinuation while in need | | | | | | | | | | |
| Discontinuation while not in need | | | | | | | | | | |
| Total discontinuation (all reasons) | | | | | | | | | | |
| Switching to a different method | | | | | | | | | | |

Contraceptive Services and Decision-Making

| | Value | Source | Population | | | | | |
|--|-------|--------|------------|--|--|--|--|--|
| Method Information Index** | ' | ' | | | | | | |
| | | | | | | | | |
| Percentage of women who received family planning information during a contact with a health service provider ** | | | | | | | | |
| | | | | | | | | |
| Percent of current modern contraceptive users who last obtained their family planning method from each source (All Methods) ** | | | | | | | | |
| Public | | | | | | | | |
| Private Medical | | | | | | | | |
| Other | | | | | | | | |
| Percentage of women who decided to use family planning alone or jointly with their husbands/partners * | ** | | | | | | | |
| | | | | | | | | |

Investment in Family Planning

| | Value | Year | Source |
|--|--------------|------|--------|
| Annual expenditure on family planning from government domestic budget (USD \$) | · | | |
| | \$15,375,538 | 2022 | FPSA |

Traditional Contraceptive Use

Source: Family Planning Estimation Tool (FPET)

raditional Contraceptive Use met the reporting threshold (tCP among Married Women > 5% in 2022).

| Traditional Contra | Traditional Contraceptive Use met the reporting threshold (ICP among warried women > 5% in 2022). | | | | | | | | | | | |
|--------------------|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2024 |
| All Women | | | | | | | | | | | | |
| 8.4% | 8.1% | 7.9% | 7.8% | 7.5% | 7.5% | 7.4% | 7.3% | 7.3% | 7.2% | 7.2% | | |
| Married Women | Married Women | | | | | | | | | | | |
| 12.6% | 12.3% | 11.9% | 11.6% | 11.3% | 11.1% | 11.0% | 11.0% | 10.8% | 10.8% | 10.8% | 10.7% | 10.6% |
| Unmarried Women | | | | | | | | | | | | |
| 0.1% | 0.1% | 0.1% | 0.1% | 0.2% | 0.2% | 0.2% | 0.2% | 0.2% | 0.2% | 0.2% | | |

Notes

- --- indicates no data post 2012 was available
- * Total Users among Married Women and Unmarried Women will not sum exactly to the Total Users among All Women
- ** Additional diaggregation or details available in the full data set.



